

# AntClassify Guilds

Functional Guild

Generalist omnivores (dominant or opportunistic in soil, leaf litter, or arboreal)

Leaf litter omnivores and scavengers (cryptic or non-cryptic)

Specialist litter or soil predators (cryptic)

Generalist predators (dominant or cryptic in soil or leaf litter)

0%




10%

20%

30%

40%

Proportion



# Poneromorph Functional Guilds (Silva et al., 2015)

Functional Guild

Unidentified Guild

Small, generalist, low-agility ponerines  
living in the leaf litter

Generalist predatory ectaheteromorphs

0%

20%

40%

60%

80%


Proportion



# Atlantic Forest Functional Guilds (Delabie et al., 2000)

Functional Guild


Omnivorous soil-and-litter species




Unidentified Guild



Cryptic species (Small specialized predators)



Large Ponerinae (Large epigeic predators)




0% 10% 20% 30% 40%


Proportion

# Cerrado Functional Guilds (Silvestre et al., 2003)

Functional Guild




Proportion of Exotic vs. Native Species  
Based on total abundance in the community




# Proportion of Atlantic Forest Endemic Species

Based on total abundance in the community



# Ant Rarity Forms Distribution

Based on total abundance in the community



# AntClassify Guilds

Functional Guild

Generalist omnivores (dominant or opportunistic in soil, leaf litter, or arboreal)

Leaf litter omnivores and scavengers (cryptic or non-cryptic)

Specialist litter or soil predators (cryptic)

Generalist predators (dominant or cryptic in soil or leaf litter)

0%




10%

20%

30%

40%

Proportion



# Poneromorph Functional Guilds (Silva et al., 2015)

Functional Guild

Unidentified Guild

Small, generalist, low-agility ponerines  
living in the leaf litter

Generalist predatory ectaheteromorphs

0%

20%

40%

60%

80%


Proportion



# Atlantic Forest Functional Guilds (Delabie et al., 2000)

Functional Guild


Omnivorous soil-and-litter species




Unidentified Guild



Cryptic species (Small specialized predators)



Large Ponerinae (Large epigeic predators)



0%

10%

20%


30%

40%


Proportion

# Cerrado Functional Guilds (Silvestre et al., 2003)

Functional Guild




Proportion of Exotic vs. Native Species  
Based on total abundance in the community




# Proportion of Atlantic Forest Endemic Species

Based on total abundance in the community




# Ant Rarity Forms Distribution

Based on total abundance in the community




# Proportion of Exotic vs. Native Species

Based on total abundance in the community



# Proportion of Atlantic Forest Endemic Species

Based on total abundance in the community



# Ant Rarity Forms Distribution

Based on total abundance in the community

