

AntClassify Guilds

Functional Guild

Generalist omnivores (dominant or opportunistic in soil, leaf litter, or arboreal)

Leaf litter omnivores and scavengers (cryptic or non-cryptic)

Specialist litter or soil predators (cryptic)

Generalist predators (dominant or cryptic in soil or leaf litter)

0%




10%

20%

30%

40%

Proportion



Poneromorph Functional Guilds (Silva et al., 2015)

Functional Guild

Unidentified Guild

Small, generalist, low-agility ponerines
living in the leaf litter

Generalist predatory ectaheteromorphs

0%

20%

40%

60%

80%


Proportion



Atlantic Forest Functional Guilds (Delabie et al., 2000)

Functional Guild


Omnivorous soil-and-litter species




Unidentified Guild



Cryptic species (Small specialized predators)



Large Ponerinae (Large epigeic predators)




0% 10% 20% 30% 40%

Proportion


Cerrado Functional Guilds (Silvestre et al., 2003)

Functional Guild




Proportion of Exotic vs. Native Species

Based on total abundance in the community




Proportion of Atlantic Forest Endemic Species

Based on total abundance in the community



Ant Rarity Forms Distribution

Based on total abundance in the community



AntClassify Guilds

Functional Guild

Generalist omnivores (dominant or opportunistic in soil, leaf litter, or arboreal)

Leaf litter omnivores and scavengers (cryptic or non-cryptic)

Specialist litter or soil predators (cryptic)

Generalist predators (dominant or cryptic in soil or leaf litter)

0%


10%

20%

30%

40%

Proportion



Poneromorph Functional Guilds (Silva et al., 2015)

Functional Guild

Unidentified Guild

Small, generalist, low-agility ponerines
living in the leaf litter

Generalist predatory ectaheteromorphs

0%

20%

40%

60%

80%


Proportion



Atlantic Forest Functional Guilds (Delabie et al., 2000)

Functional Guild


Omnivorous soil-and-litter species




Unidentified Guild



Cryptic species (Small specialized predators)



Large Ponerinae (Large epigeic predators)



0%

10%

20%


30%

40%

Proportion


Cerrado Functional Guilds (Silvestre et al., 2003)

Functional Guild




Proportion of Exotic vs. Native Species

Based on total abundance in the community




Proportion of Atlantic Forest Endemic Species

Based on total abundance in the community




Ant Rarity Forms Distribution

Based on total abundance in the community




Proportion of Exotic vs. Native Species

Based on total abundance in the community



Proportion of Atlantic Forest Endemic Species

Based on total abundance in the community



Ant Rarity Forms Distribution

Based on total abundance in the community

