





Histogram of rE













inaccurate pchisq/qchisq pairs





inaccurate pchisq/qchisq pairs

















qgamma(x, a) for very small x, a in [10, 1600] – log-log




qgamma(x, a) for very small x, a in [10, 1600] – log-log




qgamma(x, a) for very small x, a in [10, 1500] – log-log




qgamma(x, a) for very small x, a in [10, 105] – log-log




qgamma(x, a) for very small x, a in [10, 105] – log-log




pgamma(x, a) for a in [9,39.9]




pgamma(x, a) for a in [9,39.9]




qgamma(x, a) for very small x, a in [9, 40.3] – log–log




qgamma(x, a) for very small x, a in [9, 90] – log–log




qgamma(x, a) for very small x, a in [9, 150] – log-log



qgamma(x, a) for very small x, a in [9, 398] – log-log




qgamma(x, a) for very small x, a in [9, 398] – log-log







R Under development (unstable) (2023-11-02 r85465 ucrt)



qgamma(x, a) for very small x, a in [9, 398] – log-log







R Under development (unstable) (2023-11-02 r85465 ucrt)


































qgamma(x, alpha= 25 , log = TRUE)




qgamma(x, alpha= 16 , log = TRUE)




qgamma(x, alpha= 12 , log = TRUE)




qgamma(x, alpha= 11 , log = TRUE)




qgamma(x, alpha= 10.5 , log = TRUE)




qgamma(x, alpha= 10.25 , log = TRUE)




qgamma(x, alpha= 10.18 , log = TRUE)




qgamma(x, alpha= 10.15 , log = TRUE)




qgamma(x, alpha= 10.14 , log = TRUE)




qgamma(x, alpha= 10.139 , log = TRUE)




qgamma(x, alpha= 10.138 , log = TRUE)




qgamma(x, alpha= 10.137 , log = TRUE)




qgamma(x, alpha= 10.13699 , log = TRUE)




qgamma(x, alpha= 10.1369899 , log = TRUE)




qgamma(x, alpha= 10.1369894 , log = TRUE)




qgamma(x, alpha= 10.1369893 , log = TRUE)




qgamma(x, alpha= 10.1369892 , log = TRUE)




qgamma(x, alpha= 10.136989 , log = TRUE)




qgamma(x, alpha= 10.136988 , log = TRUE)




qgamma(x, alpha= 10.136985 , log = TRUE)




qgamma(x, alpha= 10.13698 , log = TRUE)




qgamma(x, alpha= 10.13697 , log = TRUE)




qgamma(x, alpha= 10.13695 , log = TRUE)




qgamma(x, alpha= 10.1368 , log = TRUE)




qgamma(x, alpha= 10.1365 , log = TRUE)




qgamma(x, alpha= 10.136 , log = TRUE)




qgamma(x, alpha= 10.125 , log = TRUE)







qgamma(x, alpha= 10 , log = TRUE)





qgamma(x, alpha= 9 , log = TRUE)













$\lgamma1p(x) = \log(\Gamma(x+1))$ approximations $|\text{rel.Err}(\cdot)|$







p.qchi.appr(x = seq(-300, -0.01, length = 501), df = 200)




p.qchi.appr(x = seq(-160, -0.01, length = 501), df = 100)




p.qchi.appr(x = seq(-300, -0.01, length = 501), df = 200)




p.qchi.appr(x = seq(-160, -0.01, length = 501), df = 100)




p.qchi.appr(x = seq(-12, -0.005, length = 501), df = 10)




p.qchi.appr(x = seq(-10, -4, length = 501), df = 10)




p.qchi.appr(x = seq(-8.5, -7.5, length = 501), df = 10)




p.qchi.appr(x = seq(-8.5, -7.5, length = 501), df = 10)




p.qchi.appr(x = seq(-3.4, -0.01, length = 501), df = 2.5)




p.qchi.appr(x = seq(-2.1, -1.8, length = 901), df = 2.5)




p.qchi.appr(x = seq(-0.5, -0.001, length = 901), df = 2.5)




p.qchi.appr(x = seq(-3.4, -0.01, length = 501), df = 2.5)




p.qchi.appr(x = seq(-0.5, -0.001, length = 901), df = 2.5)




relative Error from $p.qchi.appr(x = seq(-0.5, -0.001, length = 901), df = 2)$




$p.qchi.appr(x = seq(-3.4, -0.01, length = 501), df = 2.05)$




p.qchi.appr(x = seq(-2.5, -1.5, length = 901), df = 2.05)




p.qchi.appr(x = seq(-0.4, -1e-05, length = 901), df = 2.05)




relative Error from `p.qchi.appr(x = seq(-0.4, -1e-05, length = 901), df = 2.05)`




`p.qchi.appr(x = seq(-3.4, -0.01, length = 501), df = 2.05)`




p.qchi.appr(x = seq(-0.4, -1e-05, length = 901), df = 2.05)




p.qchi.appr(x = seq(-300, -0.01, length = 201), df = 2)




p.qchi.appr(x = seq(-5, -0.001, length = 501), df = 2)




p.qchi.appr(x = seq(-2.5, -1, length = 901), df = 2)




p.qchi.appr(x = seq(-2.5, -1, length = 901), df = 2)




p.qchi.appr(x = seq(-8, -0.01, length = 501), df = 4)




p.qchi.appr(x = seq(-0.1, -1e-04, length = 901), df = 4)




p.qchi.appr(x = seq(-3, -0.01, length = 501), df = 1.95)




p.qchi.appr(x = seq(-2.2, -1.5, length = 901), df = 1.95)




p.qchi.appr(x = seq(-0.4, -1e-07, length = 901), df = 1.95)




relative Error from $p.qchi.appr(x = seq(-0.4, -1e-07, length = 901), df = 1)$




$p.qchi.appr(x = seq(-3, -0.01, length = 501), df = 1.95)$




p.qchi.appr(x = seq(-0.4, -1e-07, length = 901), df = 1.95)




p.qchi.appr(x = seq(-4, -0.001, length = 501), df = 1)




p.qchi.appr(x = seq(-1.8, -0.5, length = 901), df = 1)




p.qchi.appr(x = seq(-1.8, -0.5, length = 901), df = 1)




p.qchi.appr(x = seq(-1.5, -0.001, length = 501), df = 0.5)




p.qchi.appr(x = seq(-0.8, -0.2, length = 901), df = 0.5, ylim = c(0.04, 0.6))




p.qchi.appr(x = seq(-0.9, -0.001, length = 501), df = 0.33)




p.qchi.appr(x = seq(-0.4, -0.02, length = 901), df = 0.33)




p.qchi.appr(x = seq(-0.4, -0.2, length = 901), df = 0.33, ylim = c(0.15, 0.6))




p.qchi.appr(x = seq(-0.4, -0.2, length = 901), df = 0.33, ylim = c(0.15, 0.6))




p.qchi.appr(x = seq(-0.4, -0.005, length = 901), df = 0.33, ylim = c(0.15, 4))




p.qchi.appr(x = seq(-0.4, -0.005, length = 901), df = 0.33, ylim = c(0.15, 4))




**p.qchi.appr(x = seq(-0.003, -1e-06, length = 901), df = 0.33,
ylim = c(5, 25))**




**p.qchi.appr(x = seq(-0.003, -1e-06, length = 901), df = 0.33,
ylim = c(5, 25))**




p.qchi.appr(x = seq(-0.45, -0.01, length = 501), df = 0.31)




p.qchi.appr(x = seq(-0.45, -0.01, length = 501), df = 0.31)




p.qchi.appr(x = seq(-0.3, -0.02, length = 901), df = 0.25)




p.qchi.appr(x = seq(-0.16, -0.01, length = 901), df = 0.1)




p.qchi.appr(x = seq(-0.16, -0.01, length = 901), df = 0.1)




absolute Error from p.qchi.appr(x = seq(-300, -0.01, length = 201), df = 0.1)




relative Error from $p.qchi.appr(x = seq(-300, -0.01, length = 201), df = 2)$




absolute Error from $p.qchi.appr(x = seq(-5, -0.001, length = 501), df = 2)$





relative Error from $p.qchi.appr(x = seq(-5, -0.001, length = 501), df = 2)$





relative Error from $p.qchi.appr(x = seq(-0.1, -1e-04, length = 901), df = 2)$




relative Error from `p.qchi.appr(x = seq(-0.1, -1e-04, length = 901), df =`










mma(2 * x, x, lower.tail = FALSE) - 0.08237202







qgamma(2 * x, x, lower.tail = FALSE)
0.0823685






















































pgamma(x, 1e-07, lower = FALSE)
2.19384e-08




pgamma(x, 1e-08, lower = FALSE)
2.193839e-09




pgamma(x, 1e-06, lower = FALSE)
2.193842e-07



pgamma(x, 1e-05, lower = FALSE)
2.193862e-06



pgamma(x, 1e-04, lower = FALSE)
2.194064e-05



pgamma(x, 0.001, lower = FALSE)
0.0002196084

