



stirlerr(n, cutoffs) rel.error [wrt stirlerr(Rmpfr::mpfr(n, 512))]

cutoffs = c(4.9, 5, 5.1, 5.2, 5.3, 5.4, 5.7, 6.1, 6.5, 7, 7.9, 8.75, 10.5, 13, 20, 26, 60, 200, 3300, 17400000)




stirlerr(n, cutoffs) rel.error [wrt stirlerr(Rmpfr::mpfr(n, 512))]

cutoffs = c(4.9, 5, 5.1, 5.2, 5.3, 5.4, 5.7, 6.1, 6.5, 7, 7.9, 8.75, 10.5, 13, 20, 26, 60, 200, 3300, 17400000)



stirlerr(n, cutoffs) rel.error [wrt stirlerr(Rmpfr::mpfr(n, 512))]

cutoffs = c(4.9, 5, 5.1, 5.2, 5.3, 5.4, 5.7, 6.1, 6.5, 7, 7.9, 8.75, 10.5, 13, 20, 26, 60, 200, 3300, 17400000)



stirlerr(n, cutoffs) rel.error [wrt stirlerr(Rmpfr::mpfr(n, 512))]

cutoffs = c(4.9, 5, 5.1, 5.2, 5.3, 5.4, 5.7, 6.1, 6.5, 7, 7.9, 8.75, 10.5, 13, 20, 26, 60, 200, 3300, 17400000)

