




Convex Lipschitz Regression using Least Squares, $L=4$




**Residuals vs Fitted
(Tukey–Anscombe Plot)**




Fitted vs Actual




Normal Q-Q Plot




Convex Lipschitz Regression using Least Squares, $L=4$




**Residuals vs Fitted
(Tukey–Anscombe Plot)**




Fitted vs Actual




Normal Q-Q Plot




Convex Lipschitz Regression using Least Squares, $L=4$




**Residuals vs Fitted
(Tukey–Anscombe Plot)**




Fitted vs Actual




Normal Q-Q Plot




Convex Lipschitz Regression using Least Squares, $L=4$




**Residuals vs Fitted
(Tukey–Anscombe Plot)**




Fitted vs Actual




Normal Q-Q Plot




Convex Lipschitz Regression using Least Squares, $L=4$




**Residuals vs Fitted
(Tukey–Anscombe Plot)**




Fitted vs Actual




Normal Q-Q Plot




Convex Lipschitz Regression using Least Squares, $L=4$




**Residuals vs Fitted
(Tukey–Anscombe Plot)**




Fitted vs Actual




Normal Q-Q Plot




Convex Lipschitz Regression using Least Squares, $L=4$




**Residuals vs Fitted
(Tukey–Anscombe Plot)**




Fitted vs Actual




Normal Q-Q Plot




Convex Lipschitz Regression using Least Squares, $L=4$




**Residuals vs Fitted
(Tukey–Anscombe Plot)**




Fitted vs Actual




Normal Q-Q Plot




Convex Lipschitz Regression using Least Squares, $L=4$




**Residuals vs Fitted
(Tukey–Anscombe Plot)**




Fitted vs Actual




Normal Q-Q Plot




Convex Lipschitz Regression using Least Squares, $L=4$




**Residuals vs Fitted
(Tukey–Anscombe Plot)**




Fitted vs Actual




Normal Q-Q Plot




Convex Lipschitz Regression using Least Squares, $L=4$




**Residuals vs Fitted
(Tukey–Anscombe Plot)**




Fitted vs Actual




Normal Q-Q Plot




Convex Lipschitz Regression using Least Squares, $L=4$




**Residuals vs Fitted
(Tukey–Anscombe Plot)**




Fitted vs Actual




Normal Q-Q Plot




Convex Lipschitz Regression using Least Squares, $L=4$




**Residuals vs Fitted
(Tukey–Anscombe Plot)**




Fitted vs Actual




Normal Q-Q Plot




Convex Lipschitz Regression using Least Squares, $L=4$



Residuals vs Fitted
(Tukey–Anscombe Plot)



Fitted vs Actual



Normal Q-Q Plot

